




LBAT7 (4'-6' Fixed Deck 16' Tilt Deck) 20'-22' Overall 7,000 lbs. Tandem Axle Tilt Deck Low Boy Trailer




Standard Features

- Fully Enclosed Wiring w/LED Lights
- Bolted Fenders
- 16 Foot tilting deck
- Adjustable flow Stillwell hydraulically damped cylinder
- 3/16" Steel Drive-Over A-frame Spring-assisted toolbox lid
- High tensile steel I-beam crossmembers
- HSS Structural Tubing Frame
- HD Fir Decking
- Bolted Drop Leg Jacks
- Stake pockets and rub rail

Specifications

Axle:	(2) 7,000 lb.	Frame:	6 X 2 HSS
Suspension:	Multi-Leaf Spring	Crossmember:	3" I-Beam 80 KSI
Wheels:	ST235/80R16 E Steel	Tongue:	6 X 2 HSS
Brakes:	Electric Self Adjusting	Deck:	HD Fir
Jack:	12,000 lb. Side Wind Jack Bolted	Electric Plug:	7 Wire RV
Coupler:	21,000 lb Demco Adjustable		



Dimensions

Model	A	B	C	D	E	F	G
LBAT7-416	132"	190"	322"	20 1/2"	66"	82"	102"
LBAT7-616	132"	214"	346"	20 1/2"	66"	82"	102"

Width Between Fenders

82"

Model	Description	Net Weight	GVWR	Payload Cap.
LBAT7-416	20' 7,000 lb. Tandem Axle Tilt Deck Black	2,950 lb	15,400 lb	12,450 lb
LBAT7-616	22' 7,000 lb. Tandem Axle Tilt Deck Black	3,100 lb	15,400 lb	12,300 lb



Specs are subject to change without notice. Please contact Southland Trailer Corp Product Specialist for price confirmation on all Products. - Revised April 2026



LBAT8 (4'-6' Fixed Deck 16' Tilt Deck) 20'-22' Overall 8,000 lbs. Tandem Axle Tilt Deck Low Boy Trailer




Standard Features

- Fully Enclosed Wiring w/LED Lights
- Bolted Fenders
- 16 Foot tilting deck
- Adjustable flow Stillwell hydraulically damped cylinder
- 3/16" Steel Drive-Over A-frame Spring-assisted toolbox lid
- High tensile steel I-beam crossmembers
- HSS Structural Tubing Frame
- HD Fir Decking
- Bolted Drop Leg Jacks
- Stake pockets and rub rail

Specifications

Axle:	(2) 8,000 lb Lippert Spring	Frame:	8 X 2 HSS
Suspension:	Multi-Leaf Slipper Spring w/Equalizer	Crossmember:	3" I-Beam 80 KSI
Wheels:	235/85R16 F Steel	Tongue:	8 X 2 HSS
Brakes:	Electric Self Adjusting	Deck:	HD Fir Plank
Jack:	12,000 lb Side Wind Bolted	Electric Plug:	7 Wire RV
Coupler:	21,000 lb Demco Adjustable		



Dimensions

Model	A	B	C	D	E	F	G
LBAT8-416	132"	190"	322"	22 3/4"	66"	82"	102"
LBAT8-616	132"	214"	346"	22 3/4"	66"	82"	102"

Width Between Fenders

82"

Model	Description	Net Weight	GVWR	Payload Cap.
LBAT8-416	20' 8,000 lb. Tandem Axle Tilt Deck Black	3,650 lb	17,420 lb	13,770 lb
LBAT8-616	22' 8,000 lb. Tandem Axle Tilt Deck Black	3,800 lb	17,420 lb	13,620 lb



Specs are subject to change without notice. Please contact Southland Trailer Corp Product Specialist for price confirmation on all Products. - Revised June 2025