



XRARSMT35 V-Nose High Boy 8' W x 20' - 26' L – 78" Wall Height Enclosed Cargo Trailer




Standard Features

- 4' V-Nose with 60" Wide Front Ramp Door
- RV Door
- Aluminum Wheels
- Fully Enclosed Wiring
- 4' Aluminum Barlocks
- 110V Passive Power and (4) LED Interior Lights
- Mezz Poly Floor
- Aluminum Interior
- Cold Weather Harness
- Translucent Roof
- Floor Tie Down Rings
- Fuel Doors and (2) Steel Position Two Way Vents
- Screwless VHB Bonded Painted Aluminum Exterior Panels
- HSS Structural Tubing Frame, Floor, Wall and Roof

Specifications

Axle:	(2) 3,500 lb Lippert Torsion	Corssmembers:	Steel HSS 2.0" X 2.0"
Brakes:	Electric Self-Adjusting	Floor:	3/4" Nudo Poly Floor
Coupler:	21,000 lb Demco Adjustable	Walls:	0.023" Aluminum Panel
Jack:	5,000 lb Side-Wind	Wheels:	225/75R15 D Aluminum
Side Door:	36" x 72" with RV Latch	Electric Plug:	7 Wire Plug
Floor D-Rings:	2,000 lb.	Ramp Rating:	2,500 lb.
Main Rails:	Steel HSS 6.0" X 2.0"		



Dimensions

Model	A	B	C	D	E	F
XRARSMT35-820V-78	76"	181"	257"	31 5/8"	112 1/8"	285 5/16"
XRARSMT35-826V-78	104"	225"	329"	31 5/8"	112 1/8"	357 5/16"

Model	Rear Door Entrance
XRARSMT35-820V-78	91 3/16"W X 76 3/4"H
XRARSMT35-826V-78	91 3/16"W X 76 3/4"H

Model	Description	Net Weight	GVWR	Payload Cap.
XRARSMT35-820V-78	8' x 20' x 78" wall height, 3,500 lb. Tandem Axle V Nose High Boy	3,183 lb.	7,700 lb.	4,517 lb.
XRARSMT35-826V-78	8' x 26' x 78" wall height, 3,500 lb. Tandem Axle V Nose High Boy	4,017 lb.	7,700 lb.	3,683 lb.



Specs are subject to change without notice. Please contact Southland Trailer Corp Product Specialist for price confirmation on all Products. - Revised January 2025



XRARSMT60 V-Nose Mid Deck 8' W x 20' - 30' L – 86" Wall Height Enclosed Cargo Trailer




Standard Features

- 4' V-Nose with 60" Wide Front Ramp Door
- RV Door
- Aluminum Wheels
- Fully Enclosed Wiring
- 4' Aluminum Barlocks
- 110V Passive Power and (4) LED Interior Lights
- Mezz Poly Floor
- Aluminum Interior
- Cold Weather Harness
- Translucent Roof
- Floor Tie Down Rings
- Fuel Doors and (2) Steel Position Two Way Vents
- Screwless VHB Bonded Painted Aluminum Exterior Panels
- HSS Structural Tubing Frame, Floor, Wall and Roof

Specifications

Axle:	(2) 6,000 lb. Lippert Torsion	Corssmembers:	HSS 2" x 2"
Brakes:	Electric Self-Adjusting	Floor:	3/4" Poly Nudo Flooring
Coupler:	21,000 lb. Demco Adjustable	Walls:	0.023" Aluminum Panel
Jack:	5,000 lb Side-Wind	Wheels:	235/80R16 E Aluminum
Side Door:	36" x 78" with RV Latch	Electric Plug:	7 Wire RV
Floor D-Rings:	2,000 lb.	Ramp Rating:	2,500 lb. Midspan
Main Rails:	HSS 6" x 2"		



Dimensions

Model	A	B	C	D	E	F
XRARSMT60-820V-86	88"	169"	257"	29"	120 5/16"	281"
XRARSMT60-822V-86	93"	188"	281"	29"	120 5/16"	305"
XRARSMT60-824V-86	97"	208"	305"	29"	120 5/16"	329"
XRARSMT60-826V-86	106"	223"	329"	29"	120 5/16"	353"
XRARSMT60-828V-86	117"	236"	353"	29"	120 5/16"	377"
XRARSMT60-830V-86	126"	251"	377"	29"	120 5/16"	401"

Rear Door Entrance

91 3/16"W X 84 3/4"H

Model	Description	Net Weight	GVWR	Payload Cap.
XRARSMT60-820V-86	8' x 20' x 86" wall height, 6,000 lb. Tandem Axle V Nose Mid Deck	3,184 lb.	13,200 lb.	10,016 lb.
XRARSMT60-822V-86	8' x 22' x 86" wall height, 6,000 lb. Tandem Axle V Nose Mid Deck	3,441 lb.	13,200 lb.	9,759 lb.
XRARSMT60-824V-86	8' x 24' x 86" wall height, 6,000 lb. Tandem Axle V Nose Mid Deck	3,630 lb.	13,200 lb.	9,570 lb.
XRARSMT60-826V-86	8' x 26' x 86" wall height, 6,000 lb. Tandem Axle V Nose Mid Deck	3,953 lb.	13,200 lb.	9,247 lb.
XRARSMT60-828V-86	8' x 28' x 86" wall height, 6,000 lb. Tandem Axle V Nose Mid Deck	4,081 lb.	13,200 lb.	9,119 lb.
XRARSMT60-830V-86	8' x 30' x 86" wall height, 6,000 lb. Tandem Axle V Nose Mid Deck	4,372 lb.	13,200 lb.	8,828 lb.



THE CANADIAN
WELDING BUREAU



Specs are subject to change without notice. Please contact Southland Trailer Corp Product Specialist for price confirmation on all Products. - Revised June 2025